



Company	Veterinarian
Mail	Reference
Phone	Farm code
Invoice to	Origin

Category: ☐ 22 Turkeys ☐ 23 Ducks ☐ 24 Partridges ☐ 25 Quail ☐ 26 Pheasants	Age: ☐ 02 Rearing/Gilt ☐ 03 Laying (weeks) ☐ 04 Breeders ☐ 08 Fattening (d/w/m/y)	Process: ☐ 02 Joint disease ☐ 03 Sudden death ☐ 04 Egg drop ☐ 05 Health control ☐ 06 Cutaneous ☐ 08 Digestive ☐ 11 Nervous disease	☐ 12 Ocular ☐ 14 Polyserositis ☐ 15 Reproductive ☐ 16 Respiratory ☐ 20 Systemic disease ☐ 22 Omphalitis	Sample: [] pool [] individual analysis ☐ 01 Environmental ☐ 02 Animals ☐ 05 Faeces ☐ 06 Swabs	☐ 10 Organs ☐ 18 Liquids/Exudates ☐ 27 FTA Cards ☐ 29 Cecal secretions
--	--	---	--	--	---

Medical history

Diagnostic Panels

- ☐ **Joint disease** Microbiology: Microbiology (up to 5 samples + 2 ATB); PCR: Reovirus, Mycoplasma synoviae (MS), Enterococcus sp.
- ☐ **Turkey: Respiratory** PCR: Mycoplasma gallisepticum (MG), Mycoplasma synoviae (MS), Mycoplasma meleagridis, Pasteurella multocida, Bordetella avium, Ornithobacterium rhinotracheale, Chlamydia psittaci, Metapneumovirus A, Metapneumovirus B
- ☐ **Turkey: Digestive** PCR: C. perfringens, Salmonella sp., Campylobacter sp., Brachyspira sp., Turkey hemorrhagic enteritis (TuHEV), Avian Coronavirus (IBV/TCoV), Avian Rotavirus A, Rotavirus type D, Rotavirus type F, Eimeria sp.
- ☐ **Avian mycoplasmas** PCR: Mycoplasma gallisepticum (MG), Mycoplasma synoviae (MS)
- ☐ **Turkey: Mycoplasmas** PCR: Mycoplasma meleagridis, Malacoplasma iowae
- ☐ **Partridges: Digestive**, ; PCR: C. perfringens, Salmonella sp., Histomonas meleagridis, Avian Rotavirus A, Rotavirus type D, Cryptosporidium sp., Eimeria sp., Spironucleus meleagridis, Trichomona gallinarum, Clostridium colinum
- ☐ **Partridges: Respiratory** PCR: Mycoplasma gallisepticum (MG), Mycoplasma synoviae (MS), Pasteurella multocida, Ornithobacterium rhinotracheale, Avian Coronavirus (IBV/TCoV), Aspergillus sp.

Sequencing and Typing

- ☐ **Clostridium perfringens - Toxins** PCR: C. perfringens, Beta, Epsilon, Iota, Enterotoxin, Beta-2, NetB
- ☐ **Escherichia coli - Virulence factors (strain)**¹ PCR: irp2, pap C, cvi/cva, iucD, tsh, hlyF, iutA, ompT, Escherichia coli
- ☐ **Avian leukosis. Exogenous-endogenous virus differentiation**¹ PCR: Avian leukosis subgroup E, Avian leukosis subgroup A, B, J
- ☐ **Mycoplasma gallisepticum- Characterization (MLST)**¹, , , ,
- ☐ **Pasteurella multocida - Capsular typing**¹ PCR: Pasteurella multocida, P. multocida type A, P. multocida type B, P. multocida type D, P. multocida type E, P. multocida type F
- ☐ **Riemerella anatipestifer - Sequencing**¹
- ☐ **Salmonella - Zoonosis control**¹ PCR: Salmonella typhimurium, Salmonella enteritidis, Salmonella infantis

Microbiology

- ☐ **Microbiology (up to 5 samples + 2 ATB)** Microbiology: Bacteria isolation and id., Antimicrobial susceptibility test
- ☐ **Microbiology + MIC (up to 5 samples + 2MIC)**¹ Microbiology: Bacteria isolation and id.; Microbiology: Minimum inhibitory concentration (MIC) - antibiotic profile
- ☐ **Anaerobic culture (up to 5 samples)**¹ Microbiology: Anaerobic culture
- ☐ **Bacteria isolation and id.**

*Note: analysis performed in an external laboratory.

1. Note: This article is intended for specific diagnostic uses or for certain collaboration models.

- Prices effective from January 1st, 2026.

- Biochemistry/Hematology available from January 1st, 2026.

- VAT not included. The prices shown are per determination and can be modified: check the cost according to the volume of samples and determination in the "calculator" in the client area.

- Carcasses and fetuses: necropsy and disposal (EUR 27/animal). Water and air: pre-treatment (EUR 18/sample).

- Diagnostic panels: determinations that are analysed by Real Time PCR will be done in pools of maximum 5 samples.



- ☐ Antimicrobial susceptibility test
- ☐ Minimum inhibitory concentration (MIC) - antibiotic profile¹
- ☐ MALDI TOF bacterial identification

Parasitology

- ☐ Coprology with coccidial count (flotation)¹

Real Time PCR

- ☐ Aspergillus fumigatus
- ☐ Aspergillus sp.
- ☐ Avian Coronavirus (IBV/TCoV)
- ☐ Bordetella avium
- ☐ Brachyspira alvinipulli
- ☐ Brachyspira hampsonii
- ☐ Brachyspira intermedia
- ☐ Brachyspira pilosicoli
- ☐ Brachyspira sp.
- ☐ Campylobacter coli
- ☐ Campylobacter jejuni
- ☐ Campylobacter sp.
- ☐ Chlamydia psittaci
- ☐ Avian circovirus
- ☐ Clostridium botulinum¹
- ☐ Clostridium colinum¹
- ☐ C. perfringens
- ☐ Clostridium septicum
- ☐ Cryptosporidium sp.
- ☐ Derzsy disease (Goose Parvovirus)
- ☐ Eimeria sp.
- ☐ Turkey hemorrhagic enteritis (TuHEV)
- ☐ Duck viral enteritis (DVE)
- ☐ Enterococcus cecorum
- ☐ Erysipelothrix rhusiopathiae
- ☐ Escherichia coli
- ☐ Gallibacterium anatis
- ☐ Gumboro disease (IBD) PCR: Gumboro disease (IBD) (high virulence strains), Gumboro disease (IBD) (non virulent strains)
- ☐ Duck hepatitis virus (DHV) subtype 1
- ☐ Duck hepatitis virus (DHV) subtype 3
- ☐ Histomonas meleagridis
- ☐ Infectious laryngotracheitis (ILT)
- ☐ Avian leukosis¹

- ☐ Listeria monocytogenes
- ☐ Malacoplasma iowae
- ☐ Marek serotype 2¹
- ☐ Metapneumovirus A-B (ART/TRT) PCR: Metapneumovirus A, Metapneumovirus B
- ☐ Metapneumovirus C-D (ART/TRT) PCR: Metapneumovirus C, Metapneumovirus D
- ☐ Mycoplasma gallisepticum (MG)
- ☐ Mycoplasma meleagridis
- ☐ Mycoplasma synoviae (MS)
- ☐ Ornithobacterium rhinotracheale
- ☐ Muscovy Duck Parvo Virus (MDPV)
- ☐ Pasteurella multocida
- ☐ Reovirus
- ☐ Riemerella anatipestifer
- ☐ Avian Rotavirus A
- ☐ Rotavirus type D¹
- ☐ Rotavirus type F¹
- ☐ Salmonella diarizonae/arizonae¹
- ☐ Salmonella enteritidis¹
- ☐ Salmonella enteritidis (Elanco strain)¹
- ☐ Salmonella gallinarum¹
- ☐ Salmonella infantis¹
- ☐ Salmonella pullorum¹
- ☐ Salmonella sp.
- ☐ Salmonella typhimurium¹
- ☐ Egg Drop Syndrome (EDSV)
- ☐ Spironucleus meleagridis¹
- ☐ Staphylococcus aureus
- ☐ Trichomona gallinae¹
- ☐ Trichomona gallinarum¹
- ☐ Avian Pox Virus (Fowlpoxvirus)

Haematological and biochemical profiles

- ☐ Uric acid*
- ☐ Albumin*
- ☐ ALT/GPT*
- ☐ AST/GOT*
- ☐ Calcium*
- ☐ Catalase*
- ☐ Copper*

*Note: analysis performed in an external laboratory.

1. Note: This article is intended for specific diagnostic uses or for certain collaboration models.

- Prices effective from January 1st, 2026.

- Biochemistry/Hematology available from January 1st, 2026.

- VAT not included. The prices shown are per determination and can be modified: check the cost according to the volume of samples and determination in the "calculator" in the client area.

- Carcasses and foetuses: necropsy and disposal (EUR 27/animal). Water and air: pre-treatment (EUR 18/sample).

- Diagnostic panels: determinations that are analysed by Real Time PCR will be done in pools of maximum 5 samples.



- ☐ Albumin: globulin ratio*
☐ Cholesterol*
☐ Cholinesterase*
☐ Corticosterone*
☐ Creatine kinase*
☐ Creatinine*
☐ Electrolytes* Biochemistry: Sodium, Chlorine, Potassium
☐ Alkaline phosphatase*
☐ Phosphorus*
☐ Glucose*
☐ Serum iron*
☐ Magnesium*
☐ Ovotransferrin*
☐ Protein total*
☐ Total proteins, Albumins, Globulins, A:G* Biochemistry: Protein total, Albumin, Globulin, Albumin: globulin ratio
☐ Serum TBARS*
☐ Hepatic TBARS*
☐ Triglycerides*
☐ Zinc*
☐ Haemogram* Haematology: Red blood cell count, Haematocrit, Haemoglobin, Mean corpuscular haemoglobin, Mean corpuscular haemoglobin [], Mean Corpuscular Volume, Red blood cell distribution, Reticulocyte count %, Leukocytes, Lymphocytes, Neutrophils, Eosinophils, Basophils, Monocytes, Lymphocytes %, % Neutrophils, % of Eosinophils, % Basophils, Monocytes %. Platelets.
☐ General* Biochemistry: Glucose, Bile acids, AST/GOT, Protein total, Uric acid, Phosphorus, Calcium, Calcium, Magnesium
☐ Animal welfare* Immunoassay: Corticosterone, Ovotransferrin
☐ Mineral* Biochemistry: Phosphorus, Calcium, Calcium, Magnesium
- ☐ Toxicant-specific quantification (price on request)*
☐ Determination of a toxic (qualitative)*
☐ Strychnine*
☐ Glyphosate (Herbicide)*
☐ Imidacloprid (Insecticide)*
☐ Ionophores in feed*
☐ Metaldehyde (Pesticide)*
☐ Heavy metals 1 metal*
☐ Heavy metals 2 metals*
☐ Heavy metals 3 metals*
☐ Heavy metals 4 metals*
☐ Heavy metals 5 metals*
☐ Determination of mycotoxins in faeces POULTRY*
☐ Mycotoxins Feed AOF*
☐ Mycotoxins Feed AOF/DZT*
☐ Mycotoxins Feed DZT*
☐ Post-mortem determination of mycotoxins*
☐ Mycotoxins. Serum biomarkers (OCRA-ZEA)*
☐ Nitrates*
☐ Nitrites*
☐ Nitrosamines*
☐ Organochlorines (Pesticides)*
☐ Organophosphates (Pesticides)*
☐ Oxalates*
☐ Pyrethrins (Insecticides)*
☐ Pyrethroids or permethrins (Insecticides)*
☐ Livestock toxic plants*
☐ Pesticide screening*
☐ Screening rodenticides*
☐ Toxic screening*
☐ Doping substances*
☐ Triazines (Herbicides)*
☐ Urea*

Toxicology

- ☐ Acetylcholinesterase activity*
☐ Alkaloids from Claviceps purpurea*
☐ Amitraz*
☐ Antibiotics*
☐ Anti-inflammatory drugs*
☐ Bromethalin (Rodenticide)*
☐ Carbamates (Pesticides)*
☐ Cyanides*
☐ Quantification of antibiotics*

*Note: analysis performed in an external laboratory.

1. Note: This article is intended for specific diagnostic uses or for certain collaboration models.

- Prices effective from January 1st, 2026.

- Biochemistry/Hematology available from January 1st, 2026.

- VAT not included. The prices shown are per determination and can be modified: check the cost according to the volume of samples and determination in the "calculator" in the client area.

- Carcasses and foetuses: necropsy and disposal (EUR 27/animal). Water and air: pre-treatment (EUR 18/sample).

- Diagnostic panels: determinations that are analysed by Real Time PCR will be done in pools of maximum 5 samples.