



Company	Veterinarian
Mail	Reference
Phone	Farm code
Invoice to	Origin

Category: ☐ 08 Milk int. farming ☐ 09 Milk ext. farming ☐ 10 Meat int. farming ☐ 11 Meat ext. farming	Age: ☐ 02 Rearing/Gilt ☐ 04 Breeders ☐ 05 Suckling (days) ☐ 08 Fattening (d/w/m/y) ☐ 09 Replacement ☐ 11 Adults	Process: ☐ 01 Abortion ☐ 02 Joint disease ☐ 03 Sudden death ☐ 05 Health control ☐ 06 Cutaneous ☐ 08 Digestive ☐ 09 Infertility	☐ 10 Mastitis ☐ 11 Nervous disease ☐ 12 Ocular ☐ 13 Foot disease ☐ 15 Reproductive ☐ 16 Respiratory ☐ 20 Systemic disease	Sample: [] pool [] individual analysis ☐ 01 Environmental ☐ 02 Animals ☐ 03 Foetus ☐ 05 Faeces ☐ 06 Swabs ☐ 07 Lavages ☐ 08 Milks	☐ 10 Organs ☐ 11 Urines ☐ 12 Placenta ☐ 13 Scrapings ☐ 14 Bloods ☐ 16 Sera ☐ 18 Liquids/Exudates
--	--	---	--	--	---

Medical history

Diagnostic Panels

- ☐ **Adult digestive** Coprology: Coprology (fecal flotation & sedimentation); PCR: Paratuberculosis, C. perfringens
- ☐ **Digestive (suckling lamb/kid)**¹ Microbiology: Microbiology (up to 5 samples + 2 ATB); PCR: Clostridium perfringens - Toxins, Escherichia coli, F17, eae gene, Salmonella sp., Rotavirus A, Cryptosporidium parvum, Eimeria sp.
- ☐ **Abortion** PCR: Coxiella burnetii, Chlamydia abortus, Salmonella sp., Campylobacter sp., Pestivirus, Toxoplasma gondii, Neospora caninum
- ☐ **Semen Venereal disease** PCR: Pestivirus, Brucella ovis, Ureaplasma diversum
- ☐ **Reproductive (bulk milk)** PCR: Coxiella burnetii, Chlamydia abortus, Pestivirus, Toxoplasma gondii
- ☐ **Respiratory (suckling and fattening animals)**¹ PCR: Mesomycoplasma ovipneumoniae, Bibersteinia trehalosi, Pasteurella multocida - Capsular typing, Ovine-Caprine Parainfluenza 3, Mannheimia haemolytica - Serotyping
- ☐ **Respiratory (adult and replacement animals)**¹ PCR: Mesomycoplasma ovipneumoniae, Bibersteinia trehalosi, Pasteurella multocida - Capsular typing, Ovine-Caprine Parainfluenza 3, Ovine pulmonary Adenocarcinoma, Maedi Visna/CAE, Mannheimia haemolytica - Serotyping
- ☐ **Joint disease (adults)** PCR: Mycoplasma agalactiae, Mycoplasma mycoides cluster, Mycoplasma putrefaciens, Maedi Visna/CAE
- ☐ **Joint disease goat kid** Microbiology: Microbiology (up to 5 samples + 2 ATB); PCR: Mycoplasma agalactiae, Mycoplasma mycoides cluster, Mycoplasma putrefaciens, Streptococcus dysgalactiae, Erysipelothrix rhusiopathiae
- ☐ **Ocular disease** Microbiology: Microbiology (up to 5 samples + 2 ATB); PCR: Mycoplasma agalactiae, Mycoplasma mycoides cluster, Mesomycoplasma conjunctivae, Moraxella ovis
- ☐ **Hemoparasites** PCR: Piroplasmas, Anaplasma sp., Mycoplasma ovis, Babesia ovis, Babesia motasi
- ☐ **Mastitis 9 + bulk** Microbiology: Bacteria isolation and id., Antimicrobial susceptibility test; PCR: Mycoplasma agalactiae, Mycoplasma mycoides cluster, Mycoplasma putrefaciens, Maedi Visna/CAE, Mycoplasma agalactiae, Mycoplasma mycoides cluster, Mycoplasma putrefaciens, Staphylococcus sp., Staphylococcus aureus, Maedi Visna/CAE
- ☐ **Mastitis (bulk milk)** PCR: Mycoplasma agalactiae, Mycoplasma mycoides cluster, Mycoplasma putrefaciens, Staphylococcus sp., Staphylococcus aureus, Maedi Visna/CAE
- ☐ **Systemic clostridiosis** PCR: Paenibacillus sordellii, Clostridium septicum, Clostridium chauvoei, Clostridium novyi, Clostridium haemolyticum
- ☐ **Hoof profile**¹ PCR: Dichelobacter nodosus, Dichelobacter nodosus (virulent strains), Fusobacterium necrophorum, Treponema - Pathogenic phylogroups

*Note: analysis performed in an external laboratory.

1. Note: This article is intended for specific diagnostic uses or for certain collaboration models.

- Prices effective from January 1st, 2026.

- Biochemistry/Hematology available from January 1st, 2026.

- VAT not included. The prices shown are per determination and can be modified: check the cost according to the volume of samples and determination in the "calculator" in the client area.

- Carcasses and foetuses: necropsy and disposal (EUR 27/animal). Water and air: pre-treatment (EUR 18/sample).

- Diagnostic panels: determinations that are analysed by Real Time PCR will be done in pools of maximum 5 samples.



Sequencing and Typing

- ☐ **Chlamydia abortus - Differentiation of vaccine strains from field strains**¹ PCR: CAB175 vaccine, CAB283 vaccine, CAB636 vaccine, CAB175 field strain, CAB283 field strain, CAB636 field strain
- ☐ **Clostridium perfringens - Toxins** PCR: C. perfringens, Beta, Epsilon, Iota, Enterotoxin, Beta-2
- ☐ **Dichelobacter nodosus - Typing**¹ PCR: D. nodosus serogroup A, D. nodosus serogroup B, D. nodosus serogroup C, D. nodosus serogroup D, D. nodosus serogroup E, D. nodosus serogroup F, D. nodosus serogroup G, D. nodosus serogroup H, D. nodosus serogroup I, D. nodosus serogroup M
- ☐ **Bluetongue Serotyping**¹ PCR: Bluetongue virus serotype 1, Bluetongue virus serotype 3, Bluetongue virus serotype 4, Bluetongue virus serotype 8
- ☐ **Mannheimia haemolytica - Serotyping**¹ PCR: M. haemolytica 1, M. haemolytica 2, M. haemolytica 6, M. haemolytica 7, M. haemolytica 9, M. haemolytica 17, Mannheimia haemolytica
- ☐ **Pasteurella multocida - Capsular typing**¹ PCR: Pasteurella multocida, P. multocida type A, P. multocida type B, P. multocida type D, P. multocida type E, P. multocida type F
- ☐ **Pestivirus - Differentiation**¹ PCR: BVDV1 Pestivirus A, BVDV2 Pestivirus B, Hobi-like Pestivirus H, Border Disease Pestivirus D
- ☐ **Treponema - Pathogenic phylogroups**¹ PCR: Treponema pedis, T. phagedenis, Treponema medium

Microbiology

- ☐ **Microbiology (up to 5 samples + 2 ATB)** Microbiology: Bacteria isolation and id., Antimicrobial susceptibility test
- ☐ **Microbiology + MIC (up to 5 samples + 2MIC)**¹ Microbiology: Bacteria isolation and id.; Microbiology: Minimum inhibitory concentration (MIC) - antibiotic profile
- ☐ **Anaerobic culture (up to 5 samples)**¹ Microbiology: Anaerobic culture
- ☐ **Bacteria isolation and id.**
- ☐ **Antimicrobial susceptibility test**
- ☐ **Minimum inhibitory concentration (MIC) - antibiotic profile**¹
- ☐ **MALDI TOF bacterial identification**

Parasitology

- ☐ **Coccidia Oocyst Count (fecal flotation)**¹
- ☐ **Coprology (fecal flotation & sedimentation)**¹
- ☐ **Coccidia** ; PCR: Eimeria arloingi, Eimeria ninakohlyakimovae, Eimeria christenseni

- ☐ **Mites identification (scabie)**¹

Real Time PCR

- ☐ **Ovine pulmonary Adenocarcinoma**
- ☐ **Anaplasma ovis**
- ☐ **Anaplasma sp.**
- ☐ **Bibersteinia trehalosi**
- ☐ **Brucella ovis**
- ☐ **Brucella sp.**
- ☐ **Campylobacter coli**
- ☐ **Campylobacter fetus**
- ☐ **Campylobacter jejuni**
- ☐ **Campylobacter sp.**
- ☐ **Cestodes**
- ☐ **Chlamydia abortus**
- ☐ **Chlamydiaceae (all species)**
- ☐ **Clostridium botulinum**¹
- ☐ **C. perfringens**
- ☐ **Clostridium septicum**
- ☐ **Corynebacterium pseudotuberculosis**
- ☐ **Coxiella burnetii**
- ☐ **Cryptosporidium parvum**
- ☐ **Dichelobacter nodosus**
- ☐ **Dichelobacter nodosus (non virulent strains)**
- ☐ **Dichelobacter nodosus (virulent strains)**
- ☐ **Contagious ecthyma (Orf)**
- ☐ **Eimeria arloingi**
- ☐ **Eimeria christenseni**
- ☐ **Eimeria ninakohlyakimovae**
- ☐ **Eimeria sp.**
- ☐ **Epizootic Hemorrhagic Disease EHD**¹
- ☐ **Erysipelothrix rhusiopathiae**
- ☐ **Escherichia coli**
- ☐ **Fusobacterium necrophorum**
- ☐ **eae gene**
- ☐ **Giardia intestinalis**
- ☐ **Caprine Herpesvirus 1**¹
- ☐ **Histophilus somni**
- ☐ **Klebsiella pneumoniae**
- ☐ **Blue Tongue Virus**
- ☐ **Pathogenic Leptospira**
- ☐ **Listeria monocytogenes**

*Note: analysis performed in an external laboratory.

1. Note: This article is intended for specific diagnostic uses or for certain collaboration models.

- Prices effective from January 1st, 2026.

- Biochemistry/Hematology available from January 1st, 2026.

- VAT not included. The prices shown are per determination and can be modified: check the cost according to the volume of samples and determination in the "calculator" in the client area.

- Carcasses and foetuses: necropsy and disposal (EUR 27/animal). Water and air: pre-treatment (EUR 18/sample).

- Diagnostic panels: determinations that are analysed by Real Time PCR will be done in pools of maximum 5 samples.



- ☐ Maedi Visna/CAE
- ☐ Mannheimia haemolytica
- ☐ Mesomycoplasma conjunctivae
- ☐ Mesomycoplasma ovipneumoniae
- ☐ Moraxella ovis
- ☐ Mycoplasma mycoides cluster
- ☐ Mycoplasma putrefaciens
- ☐ Mycoplasma agalactiae
- ☐ Nematodes
- ☐ Neospora caninum
- ☐ Ovine-Caprine Parainfluenza 3
- ☐ Paratuberculosis, , ; PCR: Paratuberculosis
- ☐ Pasteurella multocida
- ☐ Pestivirus
- ☐ Piroplasmas
- ☐ Pseudomona aeruginosa
- ☐ Rotavirus A
- ☐ Salmonella abortus ovis¹
- ☐ Salmonella sp.
- ☐ Schmallenberg¹
- ☐ Staphylococcus aureus
- ☐ Staphylococcus epidermidis
- ☐ Staphylococcus haemolyticus
- ☐ Streptococcus agalactiae
- ☐ Streptococcus dysgalactiae
- ☐ Streptococcus equi
- ☐ Toxoplasma gondii
- ☐ Trematodes
- ☐ Treponema sp.
- ☐ **Enzootic nasal tumor virus**¹
- ☐ Ureaplasma diversum

Serology

- ☐ Brucella ovis¹
- ☐ Brucella spp. (Rose Bengal test)¹
- ☐ BVD p80/Border (IDEXX)¹
- ☐ Chlamydia (IDEXX)¹
- ☐ Coxiella burnetii¹
- ☐ Epizootic Hemorrhagic Disease EHD¹
- ☐ Blue tongue¹
- ☐ Leptospira (MAT) (min 6 sera)*¹

- ☐ Maedi Visna/CAE (min 12 sera)¹
- ☐ Neospora caninum¹
- ☐ Paratuberculosis (IDEXX)¹
- ☐ Toxoplasma gondii¹
- ☐ Reproductive - Serology¹ Serology: Coxiella burnetii, Chlamydia (IDEXX), BVD p80/Border (IDEXX), Toxoplasma gondii

Haematological and biochemical profiles

- ☐ Folic acid (Vitamin B9)*
- ☐ Bile acids*
- ☐ Albumin*
- ☐ Alpha-amylase*
- ☐ AOPP*
- ☐ AST/GOT*
- ☐ BChE*
- ☐ Beta hydroxybutyrate*
- ☐ Bilirubin total*
- ☐ Calcium*
- ☐ Copper*
- ☐ Albumin: globulin ratio*
- ☐ Cholesterol*
- ☐ Cholinesterase*
- ☐ Cortisol*
- ☐ Cortisol (faeces)*
- ☐ Cortisol (hair)*
- ☐ Creatine kinase*
- ☐ Creatinine*
- ☐ CUPRAC*
- ☐ Pregnancy diagnosis (progesterone)*
- ☐ Electrolytes* Biochemistry: Sodium, Chlorine, Potassium
- ☐ Estradiol*
- ☐ Ferritin*
- ☐ Alkaline phosphatase*
- ☐ Phosphorus*
- ☐ Fox*
- ☐ FRAP*
- ☐ GGT*
- ☐ Glucose*
- ☐ Glutathione peroxidase (selenium)*

*Note: analysis performed in an external laboratory.

1. Note: This article is intended for specific diagnostic uses or for certain collaboration models.

- Prices effective from January 1st, 2026.

- Biochemistry/Hematology available from January 1st, 2026.

- VAT not included. The prices shown are per determination and can be modified: check the cost according to the volume of samples and determination in the "calculator" in the client area.

- Carcasses and foetuses: necropsy and disposal (EUR 27/animal). Water and air: pre-treatment (EUR 18/sample).

- Diagnostic panels: determinations that are analysed by Real Time PCR will be done in pools of maximum 5 samples.



- ☐ **Haemogram*** Haematology: Red blood cell count, Haematocrit, Haemoglobin, Mean corpuscular haemoglobin, Mean corpuscular haemoglobin [], Mean Corpuscular Volume, Red blood cell distribution, Reticulocyte count %, Leukocytes, Lymphocytes, Neutrophils, Eosinophils, Basophils, Monocytes, Lymphocytes %, % Neutrophils, % of Eosinophils, % Basophils, Monocytes %, Platelets.
- ☐ **Serum iron***
- ☐ **Insulin***
- ☐ **Lactate***
- ☐ **LDH***
- ☐ **Magnesium***
- ☐ **NEFA***
- ☐ **Paraxonase 1 (PON-1)***
- ☐ **Protein total***
- ☐ **Total proteins, Albumins, Globulins, A:G*** Biochemistry: Protein total, Albumin, Globulin, Albumin: globulin ratio
- ☐ **Proteinogram***
- ☐ **Proteinogram of body fluids***
- ☐ **Somatomedin C (IGF-1)***
- ☐ **Seum TBARS***
- ☐ **Hepatic TBARS***
- ☐ **Testosterone***
- ☐ **Triglycerides***
- ☐ **Urea***
- ☐ **Zinc***
- ☐ **General*** Biochemistry: Protein total, Albumin, Globulin, Albumin: globulin ratio, Urea, Creatinine, AST/GOT, GGT
- ☐ **Basic hepatic*** Biochemistry: AST/GOT, GGT
- ☐ **General hepatic*** Biochemistry: AST/GOT, GGT, Bilirubin total, Protein total, Albumin, Globulin, Albumin: globulin ratio, Urea
- ☐ **Renal*** Biochemistry: Protein total, Urea, Creatinine, Phosphorus
- ☐ **Mineral*** Biochemistry: Phosphorus, Calcium, Calcium, Magnesium, Serum iron
- ☐ **Metabolic*** Biochemistry: NEFA, Beta hydroxybutyrate, Cholesterol, Protein total, GGT, Urea, Phosphorus, Calcium, Calcium
- ☐ **Muscular*** Biochemistry: Creatine kinase, AST/GOT, Phosphorus, Calcium, Calcium, Magnesium, Serum iron
- ☐ **Ketosis*** Biochemistry: NEFA, Beta hydroxybutyrate, Cholesterol

- ☐ **Fertility impairment*** Biochemistry: NEFA, Beta hydroxybutyrate, AST/GOT, Phosphorus, Calcium, Calcium, Magnesium
- ☐ **Colostrum Intake Monitoring: IgG in Serum or Colostrum*** Immunoassay: IgG-Immunoglobulin G.
- ☐ **Indirect Evaluation of Colostrum Intake*** Biochemistry: Protein total, GGT

Toxicology

- ☐ 1 mycotoxin in serum/plasma *
- ☐ 2 mycotoxins in serum/plasma *
- ☐ 3 mycotoxins in serum/plasma *
- ☐ 4 mycotoxins in serum/plasma *
- ☐ Determination of 5 mycotoxins in serum/plasma *
- ☐ Acetylcholinesterase activity*
- ☐ Alkaloids from Claviceps purpurea*
- ☐ Amitraz*
- ☐ Antibiotics*
- ☐ Anti-inflammatory drugs*
- ☐ Bromethalin (Rodenticide)*
- ☐ Carbamates (Pesticides)*
- ☐ Cyanides*
- ☐ Quantification of antibiotics*
- ☐ Toxicant-specific quantification (price on request)*
- ☐ Determination of a toxic (qualitative)*
- ☐ Strychnine*
- ☐ Glyphosate (Herbicide) *
- ☐ Imidacloprid (Insecticide)*
- ☐ Ionophores in feed*
- ☐ Metaldehyde (Pesticide)*
- ☐ Heavy metals 1 metal*
- ☐ Heavy metals 2 metals*
- ☐ Heavy metals 3 metals*
- ☐ Heavy metals 4 metals*
- ☐ Heavy metals 5 metals*
- ☐ Mycotoxins in milk RUMINANT*
- ☐ Determination of mycotoxins in urine RUMINANT*
- ☐ Mycotoxins Feed AOF*
- ☐ Mycotoxins Feed AOF/DZT*
- ☐ Mycotoxins Feed DZT*
- ☐ Post-mortem determination of mycotoxins*
- ☐ Nitrates*
- ☐ Nitrites*

*Note: analysis performed in an external laboratory.

1. Note: This article is intended for specific diagnostic uses or for certain collaboration models.

- Prices effective from January 1st, 2026.

- Biochemistry/Hematology available from January 1st, 2026.

- VAT not included. The prices shown are per determination and can be modified: check the cost according to the volume of samples and determination in the "calculator" in the client area.

- Carcasses and foetuses: necropsy and disposal (EUR 27/animal). Water and air: pre-treatment (EUR 18/sample).

- Diagnostic panels: determinations that are analysed by Real Time PCR will be done in pools of maximum 5 samples.



- ☐ Nitrosamines*
- ☐ Organochlorines (Pesticides)*
- ☐ Organophosphates (Pesticides)*
- ☐ Oxalates*
- ☐ Pyrethrins (Insecticides)*
- ☐ Pyrethroids or permethrins (Insecticides)*
- ☐ Livestock toxic plants*
- ☐ Pesticide screening*
- ☐ Screening rodenticides*
- ☐ Toxic screening*
- ☐ Doping substances*
- ☐ Triazines (Herbicides)*
- ☐ Urea*

Anatomical Pathology

- ☐ Histopatology*
- ☐ Organ histopathology APO*

*Note: analysis performed in an external laboratory.

1. Note: This article is intended for specific diagnostic uses or for certain collaboration models.

- Prices effective from January 1st, 2026.

- Biochemistry/Hematology available from January 1st, 2026.

- VAT not included. The prices shown are per determination and can be modified: check the cost according to the volume of samples and determination in the "calculator" in the client area.

- Carcasses and fetuses: necropsy and disposal (EUR 27/animal). Water and air: pre-treatment (EUR 18/sample).

- Diagnostic panels: determinations that are analysed by Real Time PCR will be done in pools of maximum 5 samples.