



Company	Veterinarian
Mail	Reference
Phone	Farm code
Invoice to	Origin

Category:	Age:	Process:	Sample: [] pool [] individual analysis
	☐ 02 Rearing/Gilt ☐ 05 Suckling (days) ☐ 06 Weaning/Postweaning ☐ 08 Fattening (d/w/m/y) ☐ 09 Replacement ☐ 11 Adults	☐ 01 Abortion ☐ 03 Sudden death ☐ 05 Health control ☐ 06 Cutaneous ☐ 08 Digestive ☐ 09 Infertility	☐ 10 Mastitis ☐ 11 Nervous disease ☐ 15 Reproductive ☐ 16 Respiratory ☐ 20 Systemic disease ☐ 01 Environmental ☐ 02 Animals ☐ 03 Foetus ☐ 05 Faeces ☐ 06 Swabs ☐ 10 Organs ☐ 11 Urines ☐ 13 Scrapings ☐ 14 Bloods ☐ 15 Semen ☐ 16 Sera ☐ 18 Liquids/Exudates

Medical history

Diagnostic Panels

- ☐ **Semen monitoring**¹ Microbiology: Semen microbiology; PCR: RHDV variant, Myxomatosis, Encephalitozoon cuniculi, Chlamydia abortus, Salmonella sp.
- ☐ **Digestive** Microbiology: Microbiology (up to 5 samples + 2 ATB); PCR: Escherichia coli, eae gene, C. perfringens, Clostridium spiroforme, Enterotoxigenic Bacteroides fragilis, Salmonella sp., Enterococcus hirae, Rotavirus A, Rabbits Coronavirus, Lapinus Bocaparvovirus, Eimeria sp.
- ☐ **Reproductive** PCR: Chlamydiaceae (all species), Listeria monocytogenes, Salmonella sp., Pasteurella multocida
- ☐ **Semen control** PCR: RHDV variant, Myxomatosis, Encephalitozoon cuniculi, Chlamydia abortus, Salmonella sp.
- ☐ **Sanitary control** Microbiology: Bacteria isolation and id.; Microscopy: Mites identification (scabie); PCR: Encephalitozoon cuniculi, Eimeria sp., eae gene, Escherichia coli, Rotavirus A, CAR Bacillus, Murine Sendai virus, Myxomatosis, RHDV variant, Classic RHDV

Sequencing and Typing

- ☐ **Clostridium perfringens - Toxins** PCR: C. perfringens, Beta, Epsilon, Iota, Enterotoxin, Beta-2
- ☐ **Myxomatosis - Differentiation of vaccine strains from field strains**¹ PCR: Myxomatosis, MYXOHIPRA, Myxo-RHD Novibac Plus, Myxomatosis (field strain)
- ☐ **Myxomatosis - Sequencing**¹

- ☐ **Pasteurella multocida - Capsular typing**¹ PCR: Pasteurella multocida, P. multocida type A, P. multocida type B, P. multocida type D, P. multocida type E, P. multocida type F
- ☐ **Salmonellae rabbits**¹ PCR: Salmonella typhimurium, Salmonella enteritidis, Salmonella diarizonae/arizonae

Microbiology

- ☐ **Semen microbiology**¹
- ☐ **Microbiology (up to 2 samples + 2 ATB)** Microbiology: Bacteria isolation and id., Antimicrobial susceptibility test
- ☐ **Microbiology (up to 5 samples + 2 ATB)** Microbiology: Bacteria isolation and id., Antimicrobial susceptibility test
- ☐ **Microbiology + MIC (up to 5 samples + 2 MIC)**¹ Microbiology: Bacteria isolation and id.; Microbiology: Minimum inhibitory concentration (MIC) - antibiotic profile
- ☐ **Anaerobic culture (up to 5 samples)**¹ Microbiology: Anaerobic culture
- ☐ **Bacteria isolation and id.**
- ☐ **Antimicrobial susceptibility test**
- ☐ **Minimum inhibitory concentration (MIC) - antibiotic profile**¹
- ☐ **MALDI TOF bacterial identification**

Parasitology

- ☐ **Coccidia Oocyst Count (fecal flotation)**¹
- ☐ **Coccidia**, PCR: Eimeria intestinalis, Eimeria flavescens, Eimeria magna, Eimeria media
- ☐ **Mites identification (scabie)**¹

*Note: analysis performed in an external laboratory.

1. Note: This article is intended for specific diagnostic uses or for certain collaboration models.

- Prices effective from January 1st, 2026.

- Biochemistry/Hematology available from January 1st, 2026.

- VAT not included. The prices shown are per determination and can be modified: check the cost according to the volume of samples and determination in the "calculator" in the client area.

- Carcasses and foetuses: necropsy and disposal (EUR 27/animal). Water and air: pre-treatment (EUR 18/sample).

- Diagnostic panels: determinations that are analysed by Real Time PCR will be done in pools of maximum 5 samples.



Real Time PCR

- ☐ Enterotoxigenic Bacteroides fragilis
- ☐ Lapinus Bocaparvovirus
- ☐ Bordetella bronchiseptica
- ☐ Chlamydia abortus
- ☐ Chlamydiaceae (all species)
- ☐ Clostridioides difficile¹
- ☐ C. perfringens
- ☐ Clostridium spiroforme
- ☐ Rabbits Coronavirus
- ☐ Eimeria flavescens
- ☐ Eimeria intestinalis
- ☐ Eimeria magna
- ☐ Eimeria media
- ☐ Eimeria sp.
- ☐ Encephalitozoon cuniculi
- ☐ Tyzzer disease¹
- ☐ Enterococcus hirae
- ☐ Escherichia coli
- ☐ eae gene
- ☐ Lawsonia intracellularis
- ☐ Listeria monocytogenes
- ☐ Myxomatosis
- ☐ Mycoplasma pneumoniae¹
- ☐ Myxo-RHD Novibac Plus
- ☐ MYXOHIPRA
- ☐ Passalurus ambiguus¹
- ☐ Pasteurella multocida
- ☐ Classic RHDV
- ☐ RHDV variant
- ☐ Rotavirus A
- ☐ Salmonella diarizonae/arizonae¹
- ☐ Salmonella enteritidis¹
- ☐ Salmonella sp.
- ☐ Salmonella typhimurium¹
- ☐ Staphylococcus aureus
- ☐ Trichophyton mentagrophytes

Serology

- ☐ Encephalitozoon cuniculi (min 12 sera)¹

Haematological and biochemical profiles

- ☐ Folic acid (Vitamin B9)*
- ☐ Uric acid*
- ☐ Bile acids*
- ☐ Albumin*
- ☐ ALT/GPT*
- ☐ AST/GOT*
- ☐ Bilirubin total*
- ☐ Calcium*
- ☐ Copper*
- ☐ Albumin: globulin ratio*
- ☐ Cholesterol*
- ☐ Corticosterone*
- ☐ Creatine kinase*
- ☐ Creatinine*
- ☐ Electrolytes* [Biochemistry](#): Sodium, Chlorine, Potassium
- ☐ Alkaline phosphatase*
- ☐ Phosphorus*
- ☐ GGT*
- ☐ Glucose*
- ☐ Glutathione peroxidase (selenium)*
- ☐ Haemogram* [Haematology](#): Red blood cell count, Haematocrit, Haemoglobin, Mean corpuscular haemoglobin, Mean corpuscular haemoglobin [], Mean Corpuscular Volume, Red blood cell distribution, Reticulocyte count %, Leukocytes, Lymphocytes, Neutrophils, Eosinophils, Basophils, Monocytes, Lymphocytes %, % Neutrophils, % of Eosinophils, % Basophils, Monocytes %, Platelets.
- ☐ Serum iron*
- ☐ Lactate*
- ☐ Magnesium*
- ☐ Paraxonase 1 (PON-1)*
- ☐ PCR (APP)*
- ☐ Protein total*
- ☐ Total proteins, Albumins, Globulins, A:G* [Biochemistry](#): Protein total, Albumin, Globulin, Albumin: globulin ratio
- ☐ Proteinogram*
- ☐ Triglycerides*
- ☐ Urea*
- ☐ Zinc*

Toxicology

- ☐ Acetylcholinesterase activity*

*Note: analysis performed in an external laboratory.

1. Note: This article is intended for specific diagnostic uses or for certain collaboration models.

- Prices effective from January 1st, 2026.

- Biochemistry/Hematology available from January 1st, 2026.

- VAT not included. The prices shown are per determination and can be modified: check the cost according to the volume of samples and determination in the "calculator" in the client area.

- Carcasses and foetuses: necropsy and disposal (EUR 27/animal). Water and air: pre-treatment (EUR 18/sample).

- Diagnostic panels: determinations that are analysed by Real Time PCR will be done in pools of maximum 5 samples.



- ☐ Alkaloids from *Claviceps purpurea**
 ☐ Organ histopathology APO*
- ☐ Amitraz*
- ☐ Antibiotics*
- ☐ Anti-inflammatory drugs*
- ☐ Bromethalin (Rodenticide)*
- ☐ Carbamates (Pesticides)*
- ☐ Cyanides*
- ☐ Quantification of antibiotics*
- ☐ Toxicant-specific quantification (price on request)*
- ☐ Determination of a toxic (qualitative)*
- ☐ Strychnine*
- ☐ Glyphosate (Herbicide) *
- ☐ Imidacloprid (Insecticide)*
- ☐ Ionophores in feed*
- ☐ Metaldehyde (Pesticide)*
- ☐ Heavy metals 1 metal*
- ☐ Heavy metals 2 metals*
- ☐ Heavy metals 3 metals*
- ☐ Heavy metals 4 metals*
- ☐ Heavy metals 5 metals*
- ☐ Mycotoxins Feed AOF*
- ☐ Mycotoxins Feed AOF/DZT*
- ☐ Mycotoxins Feed DZT*
- ☐ Post-mortem determination of mycotoxins*
- ☐ Nitrates*
- ☐ Nitrites*
- ☐ Nitrosamines*
- ☐ Organochlorines (Pesticides)*
- ☐ Organophosphates (Pesticides)*
- ☐ Oxalates*
- ☐ Pyrethrins (Insecticides)*
- ☐ Pyrethroids or permethrins (Insecticides)*
- ☐ Livestock toxic plants*
- ☐ Pesticide screening*
- ☐ Screening rodenticides*
- ☐ Toxic screening*
- ☐ Doping substances*
- ☐ Triazines (Herbicides)*
- ☐ Urea*

Anatomical Pathology

- ☐ Histopatology*

*Note: analysis performed in an external laboratory.

1. Note: This article is intended for specific diagnostic uses or for certain collaboration models.

- Prices effective from January 1st, 2026.

- Biochemistry/Hematology available from January 1st, 2026.

- VAT not included. The prices shown are per determination and can be modified: check the cost according to the volume of samples and determination in the "calculator" in the client area.

- Carcasses and foetuses: necropsy and disposal (EUR 27/animal). Water and air: pre-treatment (EUR 18/sample).

- Diagnostic panels: determinations that are analysed by Real Time PCR will be done in pools of maximum 5 samples.