



Company	Veterinarian
Mail	Reference
Phone	Farm code
Invoice to	Origin

Category: ☐ 04 Swine ☐ 05 Iberian pigs ☐ 06 Iberian pigs extensive	Age: ☐ 02 Rearing/Gilt ☐ 04 Breeders ☐ 05 Suckling (days) ☐ 06 Weaning/Postweaning ☐ 08 Fattening (d/w/m/y) ☐ 09 Replacement ☐ 11 Adults	Process: ☐ 01 Abortion ☐ 02 Joint disease ☐ 03 Sudden death ☐ 05 Health control ☐ 06 Cutaneous ☐ 07 Growth retardation ☐ 08 Digestive	☐ 09 Infertility ☐ 11 Nervous disease ☐ 14 Polyserositis ☐ 15 Reproductive ☐ 16 Respiratory ☐ 20 Systemic disease	Sample: [] pool [] individual analysis ☐ 01 Environmental ☐ 02 Animals ☐ 03 Foetus ☐ 04 Oral fluids ☐ 05 Faeces ☐ 06 Swabs ☐ 07 Lavages	☐ 10 Organs ☐ 11 Urines ☐ 13 Scrapings ☐ 14 Bloods ☐ 15 Semen ☐ 16 Sera ☐ 18 Liquids/Exudates
---	---	--	--	--	--

Medical history

Diagnostic Panels

- ☐ **Edema disease**¹ PCR: Escherichia coli, F18 , STX2e
- ☐ **Digestive (piglets)**¹ PCR: Escherichia coli - Virulence factors, Clostridium perfringens - Toxins, Enterococcus hirae, Rotavirus A, Rotavirus B, Rotavirus C, PEDV, Isospora suis, Clostridioides difficile
- ☐ **Digestive (postweaning)**¹ PCR: Escherichia coli - Virulence factors, Salmonella sp., Lawsonia intracellullaris, Brachyspira hyodysenteriae, Rotavirus A, Rotavirus B, PEDV
- ☐ **Digestive (fattening and adult animals)**, ; PCR: Lawsonia intracellullaris, Brachyspira hyodysenteriae, Brachyspira pilosicoli, Brachyspira intermedia, Salmonella sp., PEDV
- ☐ **Swine dysentery**¹, ; Microbiology: Brachyspira insolation; PCR: Brachyspira hyodysenteriae; Microbiology: Brachyspira sp. MIC
- ☐ **Infertility / Metritis** Microbiology: Bacteria isolation and id., Antimicrobial susceptibility test; PCR: Pathogenic Leptospira, Chlamydiaceae (all species), Brucella sp.
- ☐ **Reproductive** PCR: PRRS genotype 1 (EU), PRRS genotype 2 (NA), Circovirus type 2, Circovirus type 3, Porcine Parvovirus, Pathogenic Leptospira, Chlamydiaceae (all species), Brucella sp.
- ☐ **Respiratory** PCR: PRRS genotype 1 (EU), PRRS genotype 2 (NA), Influenza A, Circovirus type 2, Mesomycoplasma hyopneumoniae, Mesomycoplasma hyorhinis, Actinobacillus pleuropneumoniae, Glaesserella parasuis, Streptococcus suis, Pasteurella multocida, Bordetella bronchiseptica, Actinobacillus suis
- ☐ **Atrophic rhinitis** PCR: Bordetella bronchiseptica, Toxinogenic Pasteurella multocida
- ☐ **Joint disease**¹ PCR: Mesomycoplasma hyorhinis, Metamycoplasma hyosynoviae, Glaesserella parasuis, Erysipelothrix rhusiopathiae, Actinobacillus pleuropneumoniae, Actinobacillus suis, Streptococcus suis - Serotyping
- ☐ **Polyserositis**¹ PCR: Mesomycoplasma hyorhinis, Actinobacillus suis, Streptococcus suis - Serotyping, Glaesserella parasuis - Serotyping
- ☐ **Nervous disease**¹ PCR: F18 , STX2e, Glaesserella parasuis, Streptococcus suis - Serotyping
- ☐ **Sudden death** Microbiology: Microbiology (up to 5 samples + 2 ATB); PCR: P. multocida type B, Salmonella sp., Erysipelothrix rhusiopathiae, Paeniclostridium sordellii, Clostridium septicum, Clostridium chauvoei, Clostridium novyi, Clostridium haemolyticum
- ☐ **Systemic clostridiosis** PCR: Paeniclostridium sordellii, Clostridium septicum, Clostridium chauvoei, Clostridium novyi, Clostridium haemolyticum

*Note: analysis performed in an external laboratory.

1. Note: This article is intended for specific diagnostic uses or for certain collaboration models.

- Prices effective from January 1st, 2026.

- Biochemistry/Hematology available from January 1st, 2026.

- VAT not included. The prices shown are per determination and can be modified: check the cost according to the volume of samples and determination in the "calculator" in the client area.

- Carcasses and foetuses: necropsy and disposal (EUR 27/animal). Water and air: pre-treatment (EUR 18/sample).

- Diagnostic panels: determinations that are analysed by Real Time PCR will be done in pools of maximum 5 samples.



- ☐ **Tuberculosis** PCR: *Myc. tuberculosis* complex, *Myc. avium* complex

Sequencing and Typing

- ☐ **Actinobacillus pleuropneumoniae - Serotyping**¹ PCR: APP 1, APP 2, APP 3, APP 4, APP 5, APP 6, APP 7, APP 8, APP 1/9/11, APP 10, APP 12, APP 13, APP 14, APP 15, APP 16, APP 17, APP 18, APP 18, Actinobacillus pleuropneumoniae
- ☐ **Brachyspira hyodysenteriae - Characterization (MLST)**¹ , , , , , , ,
- ☐ **Clostridium perfringens - Toxins** PCR: C. perfringens, Beta, Epsilon, Iota, Enterotoxin, Beta-2
- ☐ **Erysipelothrix rhusiopathiae - Serotyping**¹ PCR: E. rhusiopathiae 1a, E. rhusiopathiae 1b, E. rhusiopathiae 2, E. rhusiopathiae 5
- ☐ **Escherichia coli - Virulence factors**¹ PCR: eae gene , F4 , F5, F6 , F41 , F18 , STa , STb , LT , STX2e, AIDA, EAST, Escherichia coli
- ☐ **Escherichia coli - Septicemic strains**¹ PCR: Escherichia coli, iucD, pap C, cnf-1
- ☐ **Glaesserella parasuis - Serotyping**¹ PCR: GPS 1/2/11, GPS 2, GPS 3, GPS 4, GPS 5/12, GPS 6, GPS 7, GPS 8, GPS 9, GPS 10, GPS 11, GPS 13, GPS 14, Virulent strain GPS, Non virulent GPS, Glaesserella parasuis
- ☐ **Influenza A - Sequencing (H gene: haemagglutinin)**¹
- ☐ **Influenza A - Sequencing (N gene: neuraminidase)**¹
- ☐ **Influenza A - Subtyping**¹ PCR: H1av, H1hu, H1pan, H3, N1, N2, N1pan
- ☐ **Leptospira sp. - Typing**¹
- ☐ **Mesomycoplasma hyopneumoniae - Characterization (MLVA)**¹ , , , ,
- ☐ **Pasteurella multocida - Capsular typing**¹ PCR: Pasteurella multocida, P. multocida type A, P. multocida type B, P. multocida type D, P. multocida type E, P. multocida type F
- ☐ **PCV2 - Sequencing (ORF2)**¹
- ☐ **PCV3 - Sequencing (capsid)**¹
- ☐ **PEDV - Sequencing (Spike-S1)**¹
- ☐ **PRRS - Sequencing (ORF2-7)**¹
- ☐ **PRRS - Sequencing (ORF5)**¹
- ☐ **Rotavirus A - Sequencing (VP7, VP4)**¹ , ,
- ☐ **Salmonellae swine**¹ , ; PCR: Salmonella enteritidis, Salmonella typhimurium, Salmonella choleraesuis

- ☐ **Streptococcus suis - Serotyping¹ PCR:** Streptococcus suis, S.suis 1-14, S.suis 2-1/2, S. suis 1-1/2, S. suis 2-14, S.suis 3, S.suis 4, S.suis 5, S.suis 7, S.suis 8, S.suis 9
- ☐ **Streptococcus suis - Serotyping and virulence factors (strains)¹ ; PCR:** Streptococcus suis, S.suis 1-14, S.suis 2-1/2, S. suis 1-1/2, S. suis 2-14, S.suis 3, S.suis 4, S.suis 5, S.suis 7, S.suis 8, S.suis 9, sulysin (SLY), muramidase-released protein (MRP), extracellular protein factor (EPF)

Microbiology

- ☐ **Semen microbiology¹**
- ☐ **Microbiology (up to 5 samples + 2 ATB) Microbiology:**
Bacteria isolation and id., Antimicrobial susceptibility test
- ☐ **Microbiology + MIC (up to 5 samples + 2MIC)¹ Microbiology:**
Bacteria isolation and id.; Microbiology: Minimum inhibitory concentration (MIC) - antibiotic profile
- ☐ **Anaerobic culture (up to 5 samples)¹ Microbiology:** Anaerobic culture
- ☐ **Bacteria isolation and id.**
- ☐ **Antimicrobial susceptibility test**
- ☐ **Minimum inhibitory concentration (MIC) - antibiotic profile¹**
- ☐ **Brachyspira sp. MIC¹**
- ☐ **Glaesserella parasuis MIC¹**
- ☐ **MALDI TOF bacterial identification**

Parasitology

- ☐ **Coccidia Oocyst Count (fecal flotation)¹**
- ☐ **Coprology (fecal flotation & sedimentation)¹**
- ☐ **Coprological ; PCR:** Eimeria sp., Isospora suis, Entamoeba suis, Nematodes, Trichuris suis, Cestodes, Trematodes
- ☐ **Mites identification (scabie)¹**

Real Time PCR

- ☐ *Actinobacillus pleuropneumoniae*
- ☐ *Actinobacillus suis*
- ☐ *Astrovirus* type 3¹
- ☐ Atypical Porcine Pestivirus. Pestivirus K
- ☐ *Bordetella bronchiseptica*
- ☐ *Brachyspira hampsonii*
- ☐ *Brachyspira hyodysenteriae*
- ☐ *Brachyspira intermedia*
- ☐ *Brachyspira pilosicoli*
- ☐ *Brachyspira* sp.
- ☐ *Brucella* sp.

*Note: analysis performed in an external laboratory.

1. Note: This article is intended for specific diagnostic uses or for certain collaboration models.

- Prices effective from January 1st, 2026.

- Biochemistry/Hematology available from January 1st. 2026.

- VAT not included. The prices shown are per determination and can be modified: check the cost according to the volume of samples and determination in the "calculator" in the client area.

- Carcasses and fetuses: necropsy and disposal (EUR 27/animal). Water and air: pre-treatment (EUR 18/sample).

- Diagnostic panels: determinations that are analysed by Real Time PCR will be done in pools of maximum 5 samples.



- ☐ Brucella suis
- ☐ Campylobacter coli
- ☐ Campylobacter sp.
- ☐ Cestodes
- ☐ Chlamydia abortus
- ☐ Chlamydia suis
- ☐ Chlamydiaceae (all species)
- ☐ Circovirus type 2
- ☐ Circovirus type 3
- ☐ Clostridioides difficile¹
- ☐ Clostridium botulinum¹
- ☐ C. perfringens
- ☐ Clostridium septicum
- ☐ Cryptosporidium sp.
- ☐ Echinococcus granulosus
- ☐ Eimeria sp.
- ☐ Enterococcus hirae
- ☐ Erysipelothrix rhusiopathiae
- ☐ Escherichia coli
- ☐ Transmissible gastro enteritis (TGE)
- ☐ eae gene
- ☐ Glaesserella parasuis
- ☐ Helicobacter pylori¹
- ☐ Helicobacter sp¹
- ☐ Hepatitis E
- ☐ Influenza A
- ☐ Influenza D¹
- ☐ Isospora suis
- ☐ Lawsonia intracellullaris
- ☐ Pathogenic Leptospira
- ☐ Listeria monocytogenes
- ☐ Mesomycoplasma hyopneumoniae
- ☐ Mesomycoplasma hyorhinis
- ☐ Metamycoplasma hyosynoviae
- ☐ Mycoplasma suis
- ☐ Nematodes
- ☐ Porcine Parainfluenza 1¹
- ☐ Porcine Parvovirus
- ☐ Pasteurella multocida
- ☐ Toxinogenic Pasteurella multocida¹
- ☐ PEDV

- ☐ Poxvirus¹
- ☐ PRRS PCR: PRRS (European strains), PRRS (American strains)
- ☐ PRRS DIVA Hipra¹
- ☐ PRRS DIVA MSD¹
- ☐ PRRS DIVA Hipra/Syva¹
- ☐ PRRS DIVA Zoetis (Biosellal kit)¹ PCR: PRRS DIVA Zoetis, PRRS EU field strain or non Zoetis vaccine
- ☐ Rhodococcus equi
- ☐ Rotavirus A
- ☐ Rotavirus B¹
- ☐ Rotavirus C
- ☐ Salmonella choleraesuis¹
- ☐ Salmonella enteritidis¹
- ☐ Salmonella sp.
- ☐ Salmonella typhimurium¹
- ☐ Sapelovirus¹
- ☐ Staphylococcus aureus
- ☐ Staphylococcus hyicus
- ☐ Streptococcus suis
- ☐ Teschovirus¹
- ☐ Trematodes

Serology

- ☐ Actinobacillus pleuropneumoniae¹
- ☐ Aujeszky gE¹
- ☐ Brucella spp. (Rose Bengal test)¹
- ☐ Circovirus type 2 (Biochek)¹
- ☐ Circovirus type 2 (IgG)¹
- ☐ Circovirus type 2 (IgM)¹
- ☐ Influenza A¹
- ☐ Lawsonia intracellullaris¹
- ☐ Leptospira (MAT) (min 6 sera)^{*1}
- ☐ Erysipelothrix rhusiopathiae¹
- ☐ Mesomycoplasma hyopneumoniae (competition EIA)¹
- ☐ Porcine Parvovirus¹
- ☐ PRRS IDEXX (American and European strains)¹
- ☐ PRRS Priocheck (european and american strains)¹
- ☐ Toxoplasma gondii¹

*Note: analysis performed in an external laboratory.

1. Note: This article is intended for specific diagnostic uses or for certain collaboration models.

- Prices effective from January 1st, 2026.

- Biochemistry/Hematology available from January 1st, 2026.

- VAT not included. The prices shown are per determination and can be modified: check the cost according to the volume of samples and determination in the "calculator" in the client area.

- Carcasses and foetuses: necropsy and disposal (EUR 27/animal). Water and air: pre-treatment (EUR 18/sample).

- Diagnostic panels: determinations that are analysed by Real Time PCR will be done in pools of maximum 5 samples.



- ☐ **Reproductive - Serology¹** ; Serology: Brucella spp. (Rose Bengal test), PRRS Priocheck (european and american strains), Porcine Parvovirus , Influenza A, Erysipelothrix rhusiopathiae, Circovirus type 2 (IgG)
- ☐ **Respiratory - Serology¹** ; Serology: PRRS Priocheck (european and american strains), Influenza A, Mesomycoplasma hyopneumoniae (blocking EIA), Actinobacillus pleuropneumoniae, Circovirus type 2 (IgG)

Haematological and biochemical profiles

- ☐ **Folic acid (Vitamin B9)***
- ☐ **Bile acids***
- ☐ **Albumin***
- ☐ **Alpha-amylase***
- ☐ **Salivary amyloid A***
- ☐ **AOPP***
- ☐ **AST/GOT***
- ☐ **BChE***
- ☐ **Beta hydroxybutyrate***
- ☐ **Bilirubin total***
- ☐ **Calcium***
- ☐ **Calprotectin***
- ☐ **Fecal calprotectin***
- ☐ **Catalase***
- ☐ **Copper***
- ☐ **Albumin: globulin ratio***
- ☐ **Cholesterol***
- ☐ **Cholinesterase***
- ☐ **Cortisol***
- ☐ **Cortisol (faeces)***
- ☐ **Cortisol (hair)***
- ☐ **Creatine kinase***
- ☐ **Creatinine***
- ☐ **Chromogranin A***
- ☐ **CUPRAC***
- ☐ **Electrolytes*** Biochemistry: Sodium, Chlorine, Potassium
- ☐ **Estradiol***
- ☐ **Ferritin***
- ☐ **Alkaline phosphatase***
- ☐ **Phosphorus***
- ☐ **Fox***
- ☐ **FRAP***
- ☐ **GGT***

- ☐ **Glucose***
- ☐ **Glutathione peroxidase (selenium)***
- ☐ **Haptoglobin (PFA) saliva***
- ☐ **Haptoglobin (APP) serum***
- ☐ **Haemogram*** Haematology: Red blood cell count, Haematocrit, Haemoglobin, Mean corpuscular haemoglobin, Mean corpuscular haemoglobin [], Mean Corpuscular Volume, Red blood cell distribution, Reticulocyte count %, Leukocytes, Lymphocytes, Neutrophils , Eosinophils , Basophils , Monocytes, Lymphocytes %, % Neutrophils, % of Eosinophils. % Basophils . Monocytes %. Platelets.
- ☐ **Serum iron***
- ☐ **Ig A-Immunoglobulin A***
- ☐ **Ig G-Immunoglobulin G***
- ☐ **Lactate***
- ☐ **LDH***
- ☐ **Magnesium***
- ☐ **NEFA***
- ☐ **Paraxonase 1 (PON-1)***
- ☐ **Pig-MAP/ITI4 (APP) serum***
- ☐ **PigMAP (APP) saliva***
- ☐ **Procalcitonin (saliva)***
- ☐ **Progesterone ***
- ☐ **PCR (APP)***
- ☐ **Protein total***
- ☐ **Total proteins, Albumins, Globulins, A:G*** Biochemistry: Protein total, Albumin, Globulin, Albumin: globulin ratio
- ☐ **Proteinogram***
- ☐ **Proteinogram of body fluids***
- ☐ **Somatomedin C (IGF-1)***
- ☐ **Free T4 (Free Thyroxine)***
- ☐ **T4 total***
- ☐ **Seum TBARS***
- ☐ **Hepatic TBARS***
- ☐ **Testosterone***
- ☐ **Triglycerides***
- ☐ **Urea***
- ☐ **Zinc***
- ☐ **General*** Biochemistry: Glucose, Triglycerides, Cholesterol, Bilirubin total, Bile acids, AST/GOT, GGT, Protein total, Albumin, Globulin, Albumin: globulin ratio, Creatine kinase, Creatinine, Urea, Phosphorus, Calcium, Magnesium, Calcium, Serum iron

*Note: analysis performed in an external laboratory.

1. Note: This article is intended for specific diagnostic uses or for certain collaboration models.

- Prices effective from January 1st, 2026.

- Biochemistry/Hematology available from January 1st, 2026.

- VAT not included. The prices shown are per determination and can be modified: check the cost according to the volume of samples and determination in the "calculator" in the client area.

- Carcasses and foetuses: necropsy and disposal (EUR 27/animal). Water and air: pre-treatment (EUR 18/sample).

- Diagnostic panels: determinations that are analysed by Real Time PCR will be done in pools of maximum 5 samples.



- ☐ **Animal welfare** * Biochemistry: Haptoglobin (APP), Pig-MAP/ITI4 (APP) serum; Immunoassay: Cortisol, PCR (APP)
- ☐ **Hepatic*** Biochemistry: Bile acids, AST/GOT, GGT, Triglycerides, Bilirubin total, Protein total, Albumin, Globulin, Albumin: globulin ratio, Urea
- ☐ **Renal*** Biochemistry: Protein total, Albumin, Globulin, Albumin: globulin ratio, Urea, Creatinine, Phosphorus, Calcium
- ☐ **Mineral*** Biochemistry: Phosphorus, Calcium, Calcium, Magnesium, Glutathione peroxidase (selenium)
- ☐ **Metabolic*** Biochemistry: NEFA, Beta hydroxybutyrate, Cholesterol, Protein total, Albumin, Globulin, Albumin: globulin ratio, Phosphorus, Calcium, Calcium, Magnesium
- ☐ **Muscular*** Biochemistry: Creatine kinase, AST/GOT, Phosphorus, Calcium, Calcium, Magnesium, Serum iron
- ☐ **Ketosis*** Biochemistry: NEFA, Beta hydroxybutyrate, Cholesterol, Bilirubin total, Bile acids, GGT, Protein total, Urea
- ☐ **Fertility impairment*** Biochemistry: NEFA, Beta hydroxybutyrate, AST/GOT, Phosphorus, Calcium, Calcium, Magnesium
- ☐ **Colostrum Intake Monitoring: IgG in Serum and Colostrum***, Ig G-Immunoglobulin G,
- ☐ **Colostrum Intake Monitoring: IgG in Serum or Colostrum*** Immunoassay: IgG-Immunoglobulin G.
- ☐ **Immunocrit***

Toxicology

- ☐ **1 mycotoxin in serum/plasma** *
- ☐ **2 mycotoxins in serum/plasma** *
- ☐ **3 mycotoxins in serum/plasma** *
- ☐ **4 mycotoxins in serum/plasma** *
- ☐ **Determination of 5 mycotoxins in serum/plasma** *
- ☐ **Acetylcholinesterase activity***
- ☐ **Alkaloids from Claviceps purpurea***
- ☐ **Amitraz***
- ☐ **Antibiotics***
- ☐ **Anti-inflammatory drugs***
- ☐ **Bromethalin (Rodenticide)***
- ☐ **Carbamates (Pesticides)***
- ☐ **Cyanides***
- ☐ **Quantification of antibiotics***
- ☐ **Toxicant-specific quantification (price on request)***
- ☐ **Determination of a toxic (qualitative)***
- ☐ **Strychnine***

- ☐ **Glyphosate (Herbicide)** *
- ☐ **Imidacloprid (Insecticide)***
- ☐ **Ionophores in feed***
- ☐ **Metaldehyde (Pesticide)***
- ☐ **Heavy metals 1 metal***
- ☐ **Heavy metals 2 metals***
- ☐ **Heavy metals 3 metals***
- ☐ **Heavy metals 4 metals***
- ☐ **Heavy metals 5 metals***
- ☐ **Mycotoxins in milk SWINE***
- ☐ **Mycotoxins Feed AOF***
- ☐ **Mycotoxins Feed AOF/DZT***
- ☐ **Mycotoxins Feed DZT***
- ☐ **Post-mortem determination of mycotoxins***
- ☐ **Mycotoxins. Urinary biomarkers (ZEA, α -ZEA, β -ZEA)***
- ☐ **Mycotoxins. Serum biomarkers (OCRA-ZEA)***
- ☐ **Nitrates***
- ☐ **Nitrites***
- ☐ **Nitrosamines***
- ☐ **Organochlorines (Pesticides)***
- ☐ **Organophosphates (Pesticides)***
- ☐ **Oxalates***
- ☐ **Pyrethrins (Insecticides)***
- ☐ **Pyrethroids or permethrins (Insecticides)***
- ☐ **Livestock toxic plants***
- ☐ **Pesticide screening***
- ☐ **Screening rodenticides***
- ☐ **Toxic screening***
- ☐ **Doping substances***
- ☐ **Triazines (Herbicides)***
- ☐ **Urea***

Anatomical Pathology

- ☐ **Histopathology***
- ☐ **Organ histopathology APO***

*Note: analysis performed in an external laboratory.

1. Note: This article is intended for specific diagnostic uses or for certain collaboration models.

- Prices effective from January 1st, 2026.

- Biochemistry/Hematology available from January 1st, 2026.

- VAT not included. The prices shown are per determination and can be modified: check the cost according to the volume of samples and determination in the "calculator" in the client area.

- Carcasses and foetuses: necropsy and disposal (EUR 27/animal). Water and air: pre-treatment (EUR 18/sample).

- Diagnostic panels: determinations that are analysed by Real Time PCR will be done in pools of maximum 5 samples.